

Mark Van Arnam, Administrator

Commission on Accreditation of Ambulance Services
Ground Vehicle Standard







Home Ground Vehicle Standard ▼ About GVS ▼ Standards Comparison About CAAS Contact GVS Events

Home » Registered FSAMs

Registered FSAMs

3

The following Final Stage Ambulance Manufacturers (FSAM) companies have registered with CAAS with the intention of producing CAAS GVS certified vehicles.

Listed in alphabetical order:

American Emergency Vehicles

Braun Industries

Braun Northwest Inc

Crestline Coach LTD

Custom Truck & Body Works

Demers, Ambulance Manufacturer Inc.

Excellance, Inc.

Frazer, Ltd.

Horton Emergency Vehicles

Leader Industries

Life Line Emergency Vehicles

Medix Specialty Vehicles, Inc.

NAFFCO FZCO

Osage Industries, Inc.

REV Ambulance Group

TMA Operations



Powered by CAAS

STATES WITH RECENT AMBULANCE STANDARD REGULATORY CHANGES

As of January 2019

Vehicles must meet either CAAS GVS, NFPA 1917 and/or KKK-

(may vary by state):

- 1. Alabama
- 2. lowa
- 3. Michigan
- 4. Missouri
- 5. Oregon
- 6. South Carolina
- 7. Texas
- 8. Vermont
- 9. West Virginia

Vehicles must meet CAAS GVS or NFPA:

10. North Carolina

Vehicles must meet CAAS GVS only:

11. Kentucky

Numerous other states have regulatory changes in process for 2019/2020



CAAS GVS V2.0

- V2.0 (July/2019-2022) currently open for Public Comment period #2.
- Includes changes and updates to new vehicle standard
- Includes Remount standard and label package program
- Public Comment period #2 closes June 10.
- Effective date of GVS V2.0 is July 1, 2019



Remount - Critical Considerations

- NHTSA regulations state that "when a new cab is used in the assembly of a truck, the truck will be considered newly manufactured".
- Remounters are considered new vehicle manufacturers by Federal law and must meet same criteria as all vehicle manufacturers.
- Full compliance with all current FMVSS regulations is required, some of which relate to patient compartment (ex: door hardware, seats/belts).
- Completed vehicle must have Final Stage FMVSS Compliance Certification by manufacturer (Remounter).
- FMVSS requirements are relative to date of chassis, not date of patient module.
- Original Federal K spec Star-of-Life ambulance certification is NOT TRANSFERABLE to a remounted ambulance.



GVS Remount Standard Criteria

- Establishes specific Remounter credentials and requirements.
- Requirements for product and general liability coverage, as well as warranty provisions.
- Full compliance with FMVSS and OEM chassis requirements.
- Determination of viability and feasibility of proposed remount.
- Documentation of production process and controls.
- Consideration for applicable NIOSH/SAE safety equipment.
- Engineering analysis requirements for major modifications.
- Weight, balance and minimum payload analysis and documentation.
- Requires performance and documentation of 15 AMD Standardized Test
 Methods for each vehicle.
- Documentation and record keeping criteria is established.



GVS Remounter registration opens May 2019

- FSAMs
- Independent Remounters
- Internal Remounters



CAAS GVS - REMOUNTER REGISTRATION

Remounter:	
Address:	
City:	State: Zip:
Website:	
Phone:	
NHTSA Registration:	Yes No No
The following remounter employees are auth	orized to act on behalf of our company in transactions with CAAS GVS:
Authorized representative #1 name and title:	
Authorized representative #1 email:	
Authorized representative #2 name and title:	
Authorized representative #2 email:	
compilance, and cannot be held respons company.	no recommendation or validation of any ambulance remounter or their lible for any discrepancy, misunderstanding or misrepresentation by our company name and logo for purposes of including us in any future listing of
After completing the form abou	re, please print and physically sign before mailing to the address below.
Signed by Officer of the company:	
Printed Name & Title:	
Date:	
	SEND TO:
	26 Waukegan Road, Suite 300, Glenview, Illinois 60025-1770
Phone: 847.657.682	8 • Fax: 847.657.6825 • info@groundvehiclestandard.org

www.groundvehiclestandard.org www.caas.org





- Label and attached verification documents confirm that vehicle has been remounted in compliance with the CAAS GVS Remount Standard.
- They do not provide certification or recertification of ambulance to GVS, KKK or NFPA new ambulance standards.



APPENDIX 2 - FIGURE 1 REMOUNTED VEHICLE COMPLIANCE AND EXCEPTION/VARIANCE VERIFICATION This completed form shall be included in the handbook of instructions. Remounted by: Address: City: State: Zip: Chassis Year/Make/Model: VIN: Vehicle Type and FSAM ID#: Date of Original Manufacture: Date of Remount: TOTAL USABLE PAYLOAD: *Vehicle Fully Compliant with GVS Remount STD (Y/N): THE REMOUNTER OF THIS AMBULANCE VERIFIES THAT THIS VEHICLE HAS BEEN REMOUNTED IN COMPLIANCE WITH THE CAAS GVS V2.0 REMOUNT STANDARD. *ANY VEHICLE NOT NOTED AS FULLY COMPLIANT SHALL HAVE ALL EXCEPTIONS/VARIANCES TO THE GVS V2.0 REMOUNT STANDARD LISTED BELOW: Exception #1: Exception #2: Exception #3: Exception #4: Use additional sheet if required Authorized Remounter Representative:

APPENDIX 2 - FIGURE 2



REMOUNTED VEHICLE PAYLOAD CALCULATION & VERIFICATION **VEHICLE TOTAL USABLE PAYLOAD INFORMATION**

Kell	nounted by:					
	Address:					
City:			State:	Zi	p:	
Chassis Year/M	lake/Model:					
	VIN:					
ehicle Type an	d FSAM ID#:					
Date o	of Remount:					
1.	OEM CHASSIS GA	WR – Front:		lbs.		
2.	OEM CHASSIS GA	WR – Rear:		lbs.		
3.	3. OEM CHASSIS GVWR:			lbs.		
4.	4. CURB WEIGHT – AS BUILT – Front Axle:			lbs.		
5.	CURB WEIGHT – AS BUILT – Rear Axle:			lbs.		
6.	TOTAL CURB WEI	GHT – AS BUILT:		lbs.		
7.	VEHICLE USEABL	E FRONT AXLE PAYLOAD — AS BUILT				
		Item 1 minus Item 4:		lbs.		
8.	CUSTOMER USEA	BLE TOTAL PAYLOAD — AS BUILT				
		Item 3 minus Item 6:		lbs.		
MPLIANCE W	ITH THE CAAS	BULANCE VERIFIES THAT THIS VI GVS V2.0 REMOUNT STANDARD, ID TOTAL USABLE PAYLOAD DO I	AND THAT	THE COME	SINATION OF	



