



EXTENDED DATA DEFINITIONS

NEMSIS Version 3.5.0

This document represents the continued effort of defining field values which started with NEMSIS v2.2.1.

The NASEMSO Data Managers Council (DMC) and the NEMSIS Technical Assistance Center (TAC) are confident that this document will support the development, standardization, and improvement of state, territory and national EMS data systems.

APRIL 2020

TABLE OF CONTENTS

| GLOSSARY OF TERMS | 2 |
|--|----|
| ELEMENTS AND VALUE DEFINITIONS | 2 |
| eArrest.01 – Cardiac Arrest | 2 |
| eDisposition.12 – Incident/Patient Disposition: NO LONGER IN USE | 3 |
| eDisposition.18 – Additional Transport Mode Descriptors | 3 |
| eDisposition.27 – Unit Disposition | |
| eDisposition.28 – Patient Evaluation/Care | 7 |
| eDisposition.29 – Crew Disposition | 8 |
| eDisposition.30 – Transport Disposition | 10 |
| eHistory.17 – Alcohol/Drug Use Indicators | 12 |
| eMedication.07 – Response to Medication | 14 |
| ePatient.14 – Race | 15 |
| ePayment.50 – CMS Service Level | 16 |
| eProcedure.08 – Response to Procedure | 20 |
| eResponse.05 – Type of Service Requested | 22 |
| eResponse.07 – Unit Transport and Equipment Capability | |
| eResponse.08 – Type of Dispatch Delay | 27 |
| eResponse.09 – Type of Response Delay | 29 |
| eResponse.10 – Type of Scene Delay | 31 |
| eResponse.24 – Additional Response Mode Descriptors | |
| eScene.01 – First EMS Unit on Scene | 37 |
| eScene.06 – Number of Patients at Scene | 37 |
| eScene.07 – Mass Casualty Incident | 38 |
| eScene.08 – Triage Classification for MCI Patient | 39 |
| eSitutation.11 – Provider's Primary Impression | 40 |
| eSitutation.12 – Provider's Secondary Impression | |
| eVitals.29 – Stroke Scale Score | 41 |
| ACRONYMS | 44 |

GLOSSARY OF TERMS

ACTIVATION, EVENT: An occurrence which initiates an EMS response with the potential

of patient medical care. This is also referred to as an EMS "call" or

"run".

Refer to your local definition or as defined by law **PATIENT:**

SERVICE: The EMS unit or agency

SCENE: The location to which EMS responded TREATMENT: Encompasses both evaluation and/or care

UNIT: Depending on context of the Value, could be Vehicle or

Service/Agency

ELEMENTS AND VALUE DEFINITIONS

eArrest.01 - Cardiac Arrest

Indication of the presence of a cardiac arrest at any time during this EMS event. **Definition:**

Usage: Must complete

Select only one

Allows for NOT values

Pertinent Negatives (PN):

None

Code List (Values)

| Code | Description |
|---------|--|
| 3001001 | No |
| 3001003 | Yes, Prior to Any EMS Arrival (includes Transport EMS & Medical First |
| | Responders) |
| 3001005 | Yes, After Any EMS Arrival (includes Transport EMS & Medical First Responders) |

Extended Definitions

YES, PRIOR TO ANY EMS ARRIVAL:

If this EMS event is for an interfacility transfer of a patient with a recent history of a cardiac arrest with ROSC, and who does not experience another cardiac arrest during transport, then do NOT document Cardiac Arrest (eArrest.01) with "Yes, Prior to Any EMS Arrival (includes Transport EMS & Medical First Responders)".

Revision April 2020 2

YES, AFTER ANY EMS ARRIVAL:

EMS is defined as Emergency Medical Services personnel and Medical First Responder personnel who respond to a medical emergency in an official capacity as part of an organized medical response team. By this definition, physicians, nurses, or paramedics who witness a cardiac arrest and initiate CPR, but are not part of the organized medical response team are characterized as bystanders and are not part of the EMS system.

Medical First Responders are defined as personnel who are dispatched through the 9-1-1 system, respond in an official capacity, have the capability and/or training to provide emergency medical care, but are not the designated transporter of the patient. Thus, law enforcement officers who respond in an official capacity to a cardiac arrest, have the capability and/or training to provide emergency medical care (e.g., carry AEDs in their patrol vehicles, hold EMR licensure, are CPR certified, etc.) are considered Medical First Responders for the purposes of this data element.

Responders dispatched through the 9-1-1 system with no capability of providing emergency medical care are not considered Medical First Responders. For example, towing and wrecking responding to a vehicle crash, or law enforcement officers who do not provide any emergency medical care would not be considered Medical First Responders.

eDisposition.12 – Incident/Patient Disposition: NO LONGER IN USE

NEMSIS Comment: This element was deprecated. The following elements were added to improve accuracy and provide clarity in describing the EMS activation: eDisposition.27: Unit Disposition, eDisposition.28: Patient Evaluation/Care, eDisposition.29: Crew Disposition, eDisposition.30: Transport Disposition, and eDisposition.31: Reason for Refusal/Release.

eDisposition.18 – Additional Transport Mode Descriptors

Definition: The documentation of transport mode techniques for this EMS response.

Usage: Must complete

Select all applicable
Allows for NOT values

Additional NEMSIS definition information located <u>here.</u>

Pertinent Negatives (PN):

None

Code List (Values)

| Code | Description |
|----------------|--|
| <u>4218001</u> | Intersection Navigation-Against Normal Light Patterns |
| <u>4218003</u> | Intersection Navigation-With Automated Light Changing Technology |
| <u>4218005</u> | Intersection Navigation-With Normal Light Patterns |
| <u>4218007</u> | Speed-Enhanced per Local Policy |
| 4218009 | Speed-Normal Traffic |
| <u>4218011</u> | Lights and Sirens |
| <u>4218013</u> | Lights and No Sirens |
| <u>4218015</u> | No Lights or Sirens |
| <u>4218017</u> | Initial No Lights or Sirens, Upgraded to Lights and Sirens |
| <u>4218019</u> | Initial Lights and Sirens, Downgraded to No Lights or Sirens |

Back to Table of Contents

NEMSIS Comment: Information is split between eDisposition.17 (Transport Mode from Scene) and eDisposition.18 (Additional Transport Mode Descriptors). Element eDisposition.18 (Additional Transport Mode Descriptors) has been added to document the use of lights and sirens or other descriptive information.

Extended Definitions

INTERSECTION NAVIGATION-AGAINST NORMAL LIGHT PATTERNS:

Traveled through intersections controlled by traffic lights or stop signs against the right-of-way according to standard, non-emergency traffic laws with, or without, the use of emergency lights and sirens (e.g., approached a red traffic light and proceeded through the intersection while the light was still red with cross-road traffic traveling through the intersection on their own green light).

INTERSECTION NAVIGATION-WITH AUTOMATED LIGHT CHANGING TECHNOLOGY:

Intersection navigation with the use of technology for traffic signal preemption (also called traffic signal prioritization) to manipulate traffic signals in the path of an emergency vehicle, halting conflicting traffic and allowing the emergency vehicle right-of-way, to help reduce response times and enhance traffic safety. These types of systems allow the normal operation of traffic lights to be preempted or controlled using radio or strobe light based signaling systems and may be used on conjunction with emergency lights and sirens.

INTERSECTION NAVIGATION-WITH NORMAL LIGHT PATTERNS:

Traveled through intersection-controlled traffic lights or stop signs according to standard, non-emergency state and federal traffic laws (e.g., approached a red traffic light and waited for the light to change to green before proceeding through the intersection).

SPEED-ENHANCED PER LOCAL POLICY:

When an emergency service vehicle exceeded posted speed limits, within the limits of state or local laws or agency policy during a patient transport (e.g., some laws allow emergency services vehicles to exceed posted speed limits by 10 mph when transporting an emergent patient provided the vehicle driver exercises due caution/regard).

SPEED-NORMAL TRAFFIC:

Adhered to posted speed limits while transporting a patient, regardless of patient priority or use of lights and sirens, to insure a safe and stable transport environment.

LIGHTS AND SIRENS:

Used flashing, blinking, or rotating lights (may be a combination of red, blue, white, and amber colors), and audible sirens mounted on an emergency services vehicle in order to manage and alert traffic that they need to yield the right-of-way to the emergency vehicle during patient transport.

LIGHTS AND NO SIRENS:

Use of only flashing, blinking, or rotating lights (may be a combination of red, blue, white, and amber colors), mounted on a responding emergency services vehicle in order to manage and alert traffic that they need to yield the right-of-way to the emergency vehicle.

This traffic alert mode uses lights only without any use of audible sirens.

NO LIGHTS OR SIRENS:

Transported a patient by an emergency services vehicle without the use of any emergency traffic alert lights or sirens.

INITIAL NO LIGHTS OR SIRENS, UPGRADED TO LIGHTS AND SIRENS:

A transport where the crew initiated the transport without the use of lights or sirens, but either patient condition changed, increasing the transport priority, or traffic conditions changed requiring the use of lights and sirens for a safe and timely transport.

INITIAL LIGHTS AND SIRENS, DOWNGRADED TO NO LIGHTS OR SIRENS:

A transport where the responding vehicle initiated the response with the use of lights or sirens, but either patient condition changed, decreasing the response priority, or traffic conditions improved and the use of lights and sirens was no longer required for a safe and timely response.

This value is often used with a paramedic intercept, where a BLS crew used lights and sirens to make contact with a paramedic, who then stabilized the patient such that the transport priority was decreased.

eDisposition.27 - Unit Disposition

Back to Table of Contents

Definition: The patient disposition for an EMS event identifying whether

patient contact was made.

Usage: Must complete

Select only one

Does not allow NOT values

Pertinent Negatives (PN):

None

Code List (Values)

| Code | Description |
|----------------|---|
| 4227001 | Patient Contact Made |
| 4227003 | Cancelled on Scene |
| <u>4227005</u> | Cancelled Prior to Arrival at Scene |
| 4227007 | No Patient Contact |
| 4227009 | No Patient Found |
| 4227011 | Non-Patient Incident (Not Otherwise Listed) |

Extended Definitions

PATIENT CONTACT MADE:

This crew/unit arrived on-scene and made contact with a patient. The definition of a "Patient" is based on state regulations, protocols or local agency policies. There is too much variation in this definition by region and therefore no global definition should be set in the NEMSIS dataset.

CANCELLED ON SCENE:

This crew/unit arrived on-scene but was cancelled by another unit prior to having any potential patient contact or providing any services. An example scenario would be a first responder unit arrives, realizes they have a patient refusal as the transport unit arrives on scene and the first responder unit cancels the transport unit before they can do anything.

CANCELLED PRIOR TO ARRIVAL AT SCENE:

This crew/unit was cancelled before arriving on-scene, therefore it is unknown whether there could have been a patient or not. Unit may be cancelled prior to, or during response.

NO PATIENT CONTACT:

This crew/unit arrived on-scene but this crew/unit made no contact with a patient. Generally, this will mean a patient was present with another unit having patient contact, with this unit not having patient contact. This unit can still be providing rescue and support services to the incident in this case.

NO PATIENT FOUND:

This crew/unit arrived on-scene and looked for a patient, but none was found. The patient may have left the scene, or caller was mistaken and there never was a patient. For example, this unit may have been dispatched to an unconscious person, but arrived to find a college student just taking a nap on the lawn.

NON-PATIENT INCIDENT (NOT OTHERWISE LISTED):

This crew/unit provided some sort of service that did not involve a patient. The definition of a "Patient" is based on state regulations, protocols or local agency policies. This type of incident could be a standby with no patient generated, organ transport, lift or public assist that was truly not a patient, or unit may have provided event command services.

eDisposition.28 – Patient Evaluation/Care

Definition: The patient disposition for an EMS event identifying whether a patient was

evaluated and care or services were provided.

Usage: Must complete

Select only one

Allows for NOT values

Pertinent Negatives (PN):

None

Code List (Values)

| Code | Description |
|----------------|-------------------------------------|
| 4228001 | Patient Evaluated and Care Provided |
| <u>4228003</u> | Patient Evaluated and Refused Care |
| <u>4228005</u> | Patient Evaluated, No Care Required |
| 4228007 | Patient Refused Evaluation/Care |
| 4228009 | Patient Support Services Provided |

Extended Definitions

PATIENT EVALUATED AND CARE PROVIDED:

A patient was present, evaluated, and care was provided by this crew. This is the standard situation where a patient was present and cared for or "treated", without refusal, by EMS.

PATIENT EVALUATED AND REFUSED CARE:

A patient was present and was evaluated by this crew, but the patient refused care. The patient may or may not be transported in combination with this value.

Back to Table of Contents

PATIENT REFUSED EVALUATION/CARE:

A patient was present and refused any evaluation or care by this crew. This value should only be combined with "Patient Refused Transport" or "No Transport."

PATIENT EVALUATED AND NO CARE REQUIRED:

A patient was present and was evaluated by this crew, but no care appeared to be required. Crews would need to evaluate someone in order to determine that no care was required. A classic example would be a patient only requiring a lift assist.

PATIENT SUPPORT SERVICES PROVIDED:

This unit provided support services to another crew/unit providing care. Support services could include extrication, carrying bags or helping to move a patient.

NOT VALUE

NOT APPLICABLE: There was no patient per the unit disposition, therefore patient evaluation and care is not applicable.

eDisposition.29 - Crew Disposition

Definition: The crew disposition for this EMS event identifying which crew provided

primary patient care or whether support services were required.

Usage: Must complete

Select only one

Allows for NOT values

Pertinent Negatives (PN):

None

Code List (Values)

| Code | Description |
|----------------|--|
| <u>4229001</u> | Initiated and Continued Primary Care |
| <u>4229003</u> | Initiated Primary Care and Transferred to Another EMS Crew |
| <u>4229005</u> | Provided Care Supporting Primary EMS Crew |
| <u>4229007</u> | Assumed Primary Care from Another EMS Crew |
| <u>4229009</u> | Incident Support Services Provided (Including Standby) |
| <u>4229011</u> | Back in Service, No Care/Support Services Required |

4229013 Back in Service, Care/Support Services Refused

NEMSIS Comment: This element is grouped with Patient and Transport Dispositions.

Extended Definitions

INITIATED AND CONTINUED PRIMARY CARE:

This crew began primary care for this patient with no previous care provided on-scene and did not transfer the care to another unit. Generally, this will be a one-unit response where there is only one crew on the responding unit and no other crew or unit was present. If multiple units from the same agency respond to an incident as an organized response and local rules do not require each unit to do a separate report, then this value would apply to the "agency" response of multiple units under one report. For transfers, "Primary Care" is considered to begin once crew receives responsibility for the patient and any care provided by the sending facility does not qualify as previous care for this value.

INITIATED PRIMARY CARE AND TRANSFERRED TO ANOTHER EMS CREW:

This crew began primary care for this patient with no previous care provided on scene and then transferred the care to another unit.

PROVIDED CARE SUPPORTING PRIMARY EMS CREW:

Another crew started and continued primary care and this unit provided patient care supporting the primary crew's care. For example, first responders arrived at the same time or later than the transport crew and helped provide care, but were not the primary crew in charge of patient care.

ASSUMED PRIMARY CARE FROM ANOTHER EMS CREW:

This crew assumed primary care of a patient that was initiated by another EMS Crew. This would commonly be used by an ALS intercept unit arriving and taking over primary care from a BLS unit.

INCIDENT SUPPORT SERVICES PROVIDED (INCLUDING STANDBY):

This crew/unit provided non-patient care support services to an incident in general or to another unit/crew that is providing patient care. Support services could include extrication, carrying bags or equipment, helping move a patient, standby for police or a fire or fire rehab services where no one rose to the level of a patient.

BACK IN SERVICE, NO CARE OR SUPPORT SERVICES REQUIRED:

This crew/unit is immediately back in service as there was no patient care or support services required of the crew/unit at the incident. This would primarily apply if no patient was found or if unit was cancelled on scene.

BACK IN SERVICE, CARE OR SUPPORT SERVICES REFUSED:

This crew/unit is back in service after patient care or support services were refused despite being offered. No care or support services should be provided; however, an evaluation may have occurred prior to refusal of any care.

Back to Table of Contents

NOT VALUE

NOT APPLICABLE: The unit was cancelled prior to arrival on scene per the Unit Disposition, therefore this Crew Incident Disposition is Not Applicable.

eDisposition.30 - Transport Disposition

Definition: The transport disposition for an EMS event identifying whether a transport

occurred and by which unit.

Usage: Must complete

Select only one

Allows for NOT values

Pertinent Negatives (PN):

None

Code List (Values)

| Code | Description |
|----------------|---|
| <u>4230001</u> | Transport by This EMS Unit (This Crew Only) |
| <u>4230003</u> | Transport by This EMS Unit, with a Member of Another Crew |
| <u>4230005</u> | Transport by Another EMS Unit |
| <u>4230007</u> | Transport by Another EMS Unit, with a Member of This Crew |
| <u>4230009</u> | Patient Refused Transport |
| 4230011 | Non-Patient Transport (Not Otherwise Listed) |
| 4230013 | No Transport |

NEMSIS Comment: This element is grouped with Patient and Incident Dispositions. Provides a rapid filter for transport or no transport for incident evaluation, business entry rules and Schematron rules.

Extended Definitions

TRANSPORTED BY THIS EMS UNIT (THIS CREW ONLY): A patient was transported in this crew's unit by only this crew. This would be a standard ambulance transport. This should also be used if the crew transports the patient any distance to a helicopter or other EMS ground transport unit that subsequently transports to the final destination. In this case, the type of destination for this crew should be "Other EMS Air or Ground".

TRANSPORTED BY THIS EMS UNIT, WITH A MEMBER OF ANOTHER CREW:

A patient was transported in this crew's unit with this crew and member(s) of another crew. Common uses would be when the primary transport crew needs additional assistance from another crew during transport or when an intercepting ALS provider is on board.

TRANSPORTED BY ANOTHER EMS UNIT:

The patient was transported, but by another crew/unit. For example, a non-transport unit providing and transferring care to another crew/unit who then transports the patient. A destination for the transport should be the listed so the receiving facility can access the non-transport EMS record.

TRANSPORTED BY ANOTHER EMS UNIT, WITH A MEMBER OF THIS CREW:

The patient is transported in another crew's unit with a member of this crew. This would be used when an ALS intercept provider transports in another crew's unit or this crew provides additional assistance to the other unit during transport.

PATIENT REFUSED TRANSPORT:

Patient refused EMS transport. This would apply to a standard patient refusal of transport or when a patient was treated and chose to be transported by law enforcement or private vehicle.

NON-PATIENT TRANSPORT (NOT OTHERWISE LISTED):

A transport occurred but did not include a patient. This could include transport of organs, special equipment-such as bariatric equipment or an air crew to or from their aircraft without a patient.

NO TRANSPORT:

No transport of a patient occurred. For example, following a lift assist that did not require a refusal.

NOT VALUE

NOT APPLICABLE: There was no patient per the Unit Disposition, and a non-patient transport did not occur, therefore this value would be Not Applicable

eHistory.17 – Alcohol/Drug Use Indicators

Back to Table of Contents

Definition: Indicators for the potential use of alcohol or drugs by the patient

related to the patient's current illness or injury.

Usage: Must complete

Select all applicable Allows for NOT values

Additional NEMSIS definition information located here.

DMC Comment: Additional values need to be added and some tweaked to cover more scenarios (e.g., patient presents with an altered mental status with an unknown etiology, patient reported to have ingested an unknown substance).

Pertinent Negatives (PN):

| Code | Description |
|----------------|--------------------|
| <u>8801015</u> | None Reported |
| 8801023 | Unable to Complete |

Code List (Values)

| Code | Description |
|----------------|--|
| <u>3117001</u> | Alcohol Containers/Paraphernalia at Scene |
| <u>3117003</u> | Drug Paraphernalia at Scene |
| <u>3117005</u> | Patient Admits to Alcohol Use |
| <u>3117007</u> | Patient Admits to Drug Use |
| 3117009 | Positive Level known from Law Enforcement or Hospital Record |
| <u>3117013</u> | Physical Exam Indicates Suspected Alcohol or Drug Use |

Extended Definitions

NONE REPORTED (PN):

Situations where this option is applicable:

- The patient (or the EMS crew) identified that the use of alcohol or drugs were unrelated to the patient's condition;
- There was no apparent alcohol or drug use; or
- Patient denied the use/misuse of drugs or alcohol.

UNABLE TO COMPLETE (PN):

Patient was unable to confirm or deny drug or alcohol use for any reason (e.g., unconsciousness, language barrier, or other physical impairment/barrier).

Revision April 2020

This value would also be appropriate if there was not enough patient contact in order to determine.

ALCOHOL CONTAINERS/PARAPHERNALIA AT SCENE:

Refers to any material/object used in the intake of alcohol into the human body.

DRUG PARAPHERNALIA AT SCENE:

Any material/object used in manufacturing, producing, processing, preparing, injecting, ingesting, inhaling, or otherwise introducing a controlled substance into the human body.

PATIENT ADMITS TO ALCOHOL USE:

By written, verbal, or motor action (e.g., head nod), patient admitted to being under the influence of alcohol. Patient does not have to meet any legal standard of intoxication for this purpose.

PATIENT ADMITS TO DRUG USE:

By written, verbal, or motor action (e.g., head nod), patient admitted to being under the influence of drugs. Patient does not have to meet any legal standard of intoxication for this purpose.

This value would also be appropriate if patient's condition improved after administration of an opioid antagonist.

POSITIVE LEVEL KNOWN FROM LAW ENFORCEMENT OR HOSPITAL RECORD:

Third-party report of drug or alcohol use based on a diagnostic source (e.g., breathalyzer, blood, urine, or field narcotic test).

PHYSICAL EXAM INDICATES SUSPECTED ALCOHOL OR DRUG USE:

EMS clinician observation of an alcohol-like odor coming from the patient or signs and symptoms of drug use.

Revision April 2020

eMedication.07 – Response to Medication

Definition: The patient's response to the medication.

of Contents

Back to Table

Usage: Must complete

Select only one

Allows for NOT values

Additional NEMSIS definition information located here.

PERTINENT NEGATIVES ENTERED WITH EMEDICATION.03 - MEDICATION GIVEN

When *eMedication.03 – Medication Given* has a medication entered with a Pertinent Negative ("Contraindication Noted," "Denied by Order," "Refused," "Unable to Complete," "Medication Already Taken," "Medication Allergy", etc.) a value for **eMedication.07 – Response to Medication** could be "Improved", "Unchanged," "Worse," or "Not Applicable," depending on any clinical changes by the patient or the situation as a response to receiving or not receiving the medication.

Pertinent Negatives (PN):

None

Code List (Values)

| Code | Description |
|---------|-------------|
| 9916001 | Improved |
| 9916003 | Unchanged |
| 9916005 | Worse |

Extended Definitions

IMPROVED:

The medication had its intended therapeutic effect and the patient's symptoms decreased or clinical condition improved or resolved. The word "effective" could generally be substituted for "improved."

If a patient had the intended therapeutic response to the medication, but a side effect that caused a clinical deterioration in another body system, then "Improved" should be chosen and the side effects documented as a complication (e.g., nitroglycerin improved chest pain but dropped the blood pressure).

UNCHANGED:

The medication was ineffective and had no intended therapeutic effect or had a subtherapeutic and unnoticeable effect, AND the patient condition did not deteriorate.

WORSE:

The patient condition deteriorated or continued to deteriorate because either the medication:

- 1. Was ineffective and had no intended therapeutic effect, or
- 2. Had a sub-therapeutic effect that was unable to stop or reverse the decline in patient condition, or
- 3. Was the wrong medication for the clinical situation and the therapeutic effect caused the condition to worsen (e.g. giving glucose to a patient with hyperglycemia/diabetic ketoacidosis).

ePatient.14 - Race

Definition: The patient's race as defined by the OMB (US Office of Management and

Budget).

Usage: Must complete

Select all applicable
Allows for NOT values

Additional NEMSIS definition information located <u>here</u>.

If using a NOT VALUE for this element, do not use any of the Values listed below.

Pertinent Negatives (PN):

None

Code List (Values)

| Code | Description |
|----------------|---|
| <u>2514001</u> | American Indian or Alaska Native |
| <u>2514003</u> | Asian |
| <u>2514005</u> | Black or African American |
| 2514007 | Hispanic or Latino |
| <u>2514009</u> | Native Hawaiian or Other Pacific Islander |
| <u>2514011</u> | White |

NEMSIS Comment: Definitions for racial and ethnic categories are established by the Office of Management and Budget (OMB) Revisions to the Standards for the Classification of Federal Data on Race and Ethnicity. https://grants.nih.gov/grants/guide/notice-files/NOT-OD-15-089.html

Extended Definitions

AMERICAN INDIAN OR ALASKA NATIVE:

Back to Table of Contents

A person having origins in any of the original peoples of North, Central, and South America and who maintains tribal affiliation or community attachment.

ASIAN:

A person having origins in any of the original peoples of the Far East, Southeast Asia, or the Indian subcontinent including Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam.

BLACK OR AFRICAN AMERICAN:

A person having origins in any of the black racial groups of Africa. Terms such as "Haitian" or "Negro" can be used in addition to "Black or African American."

HISPANIC OR LATINO:

When selecting this value, you should also select <u>at least one</u> additional value (e.g., "Hispanic," "Black," or "Hispanic" and "White."

A person of Cuban, Mexican, Puerto Rican, Cuban, South or Central American, or other Spanish culture or origin, regardless of race. The term, "Spanish origin," can be used in addition to "Hispanic or Latino."

NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER:

A person having origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

WHITE:

A person having origins in any of the original peoples of Europe, the Middle East, or North Africa.

ePayment.50 – CMS Service Level

Definition: The CMS service level for this EMS encounter.

Usage: Must complete

Select only one

Allows for NOT values

Additional NEMSIS definition information located <u>here</u>.

Pertinent Negatives (PN):

None

Code List (Values)

| Code | Description |
|----------------|--------------------------|
| <u>2650001</u> | ALS, Level 1 |
| <u>2650003</u> | ALS, Level 1 Emergency |
| <u>2650005</u> | ALS, Level 2 |
| 2650007 | BLS |
| 2650009 | BLS, Emergency |
| 2650011 | Fixed Wing (Airplane) |
| 2650013 | Paramedic Intercept |
| 2650015 | Specialty Care Transport |
| 2650017 | Rotary Wing (Helicopter) |

Extended Definitions

ALS, LEVEL 1:

Transportation by ground ambulance vehicle and the provision of medically necessary supplies and services including the provision of at least one ALS intervention by ALS personnel trained to the level of the EMT-Intermediate or paramedic.

ALS Intervention: An ALS intervention must be medically necessary to qualify as an intervention for payment for an ALS level of service. An ALS intervention applies only to ground transports.

ALS, LEVEL 1 EMERGENCY:

When medically necessary, the provision of ALS1 services (ALS assessment or ALS intervention per state guidelines), are performed in the context of an emergency response and responds immediately. ALS personnel trained to the level of the EMT- Intermediate or paramedic.

ALS Assessment: An ALS assessment is an assessment performed by an ALS crew as part of an emergency response that was necessary because the patient's reported condition at the time of dispatch was such that only an ALS crew was qualified to perform the assessment.

ALS Intervention: An ALS intervention must be medically necessary to qualify as an intervention for payment for an ALS level of service. An ALS intervention applies only to ground transports.

ALS, LEVEL 2:

Transportation by ground ambulance vehicle staffed with ALS personnel and the provision of medically necessary supplies and services including:

Back to Table of Contents

- 1. At least three separate administrations of one or more medications by intravenous push/bolus or by continuous infusion (excluding crystalloid fluids), OR
- 2. Ground ambulance transport, medically necessary supplies and services, and the provision of at least one of the following ALS2 procedures:
 - a. Manual defibrillation/cardioversion;
 - b. Endotracheal intubation;
 - c. Central venous line;
 - d. Cardiac pacing;
 - e. Chest decompression;
 - f. Surgical airway; or
 - g. Intraosseous line.

Application: Crystalloid fluids include fluids such as 5 percent Dextrose in water, Saline and Lactated Ringer's. Medications that are administered by other means (e.g., intramuscular/subcutaneous injection, oral, sublingually, or nebulized) do not qualify to determine whether the ALS2 level rate is payable. The criterion of multiple administrations of the same drug requires a suitable quantity and amount of time between administrations that is in accordance with standard medical practice guidelines.

BLS:

Transportation by ground ambulance vehicle as defined by the state. The ambulance must be staffed by an individual who is qualified as an EMT-Basic per state guidelines.

BLS, EMERGENCY:

When the ambulance provider or supplier is called, it responds immediately. The ambulance must be staffed by an individual who is qualified as an EMT-Basic per state guidelines.

FIXED WING (AIRPLANE):

Furnished when the beneficiary's medical condition is such that transport by ground ambulance, in whole or in part, is not appropriate. Generally, transport by fixed wing air ambulance may be necessary because the beneficiary's condition requires rapid transport to a treatment facility, and either great distances or other obstacles (e.g., heavy traffic) precludes rapid delivery to the nearest appropriate facility. Transport by fixed wing air ambulance may also be necessary because the beneficiary is inaccessible by a ground or water ambulance vehicle.

Revision April 2020

PARAMEDIC INTERCEPT:

ALS emergency services, provided by an entity that does not provide the ambulance transport to a BLS level of service, is dispatched to transport a patient.

Paramedic intercept services furnished on or after March 1, 1999, may be payable separate from the ambulance transport, subject to the requirements specified below.

The intercept service(s) is:

- Furnished in a rural area;
- Furnished under a contract with one or more volunteer ambulance services; and, medically necessary based on the condition of the beneficiary receiving the ambulance service.

In addition, the volunteer ambulance service involved must:

- Furnish services only at the BLS level at the time of the intercept; and,
- Be prohibited by State law from billing anyone for any service.

Finally, the entity furnishing the ALS paramedic intercept service must:

• Bill all recipients who receive ALS paramedic intercept services from the entity, regardless of whether or not those recipients are Medicare beneficiaries.

For purposes of the paramedic intercept benefit, a rural area is an area that is designated as rural by a State law or regulation or any area outside of a Metropolitan Statistical Area or in New England, outside a New England County Metropolitan Area as defined by the Office of Management and Budget. The current list of these areas is periodically published in the Federal Register.

See the <u>Medicare Claims Processing Manual</u>, Chapter 15, "Ambulance," §20.1.4 for payment of paramedic intercept services.

Services in a Rural Area: Services that are furnished:

- 1. In an area outside a Metropolitan Statistical Area (MSA); or,
- 2. In New England, outside a New England County Metropolitan Area (NECMA); or,
- 3. An area identified as rural using the Goldsmith modification even though the area is within an MSA.

SPECIALTY CARE TRANSPORT:

The interfacility transportation of a critically injured or ill beneficiary by a ground ambulance vehicle at a level of service beyond the scope of the EMT-Paramedic. This transport is necessary when a beneficiary's condition requires ongoing care that must be furnished by one or more health professionals in an appropriate specialty area (e.g., emergency or critical care nursing, emergency medicine, respiratory care,

cardiovascular care, or a paramedic with additional training).

Additional training: the specific additional training that a state requires a paramedic to

Revision April 2020

complete in order to qualify to furnish specialty care to a critically ill or injured patient during a specialty care transport.

ROTARY WING (HELICOPTER):

Furnished when the beneficiary's medical condition is such that transport by ground ambulance, in whole or in part, is not appropriate. Generally, transport by rotary wing air ambulance may be necessary because the beneficiary's condition requires rapid transport to a treatment facility, and either great distances or other obstacles (e.g., heavy traffic) precludes such rapid delivery to the nearest appropriate facility. Transport by rotary wing air ambulance may also be necessary because the beneficiary is inaccessible by a ground or water ambulance vehicle.

eProcedure.08 - Response to Procedure

Definition: The patient's response to the procedure.

Usage: Must complete

Select only one

Allows for NOT values

Additional NEMSIS definition information located <u>here</u>.

PERTINENT NEGATIVES ENTERED WITH EPROCEDURES.03 - PROCEDURE

When *eProcedures.03 – Procedure* has a Value entered with a Pertinent Negative ("Contraindication Noted," "Denied by Order," "Refused," "Unable to Complete", etc.) a Value for *eProcedure.08 – Response to Procedure* could be "Improved," "Unchanged," "Worse," or "Not Applicable," depending on any clinical changes by the patient or the situation as a response to receiving or not receiving the procedure.

Pertinent Negatives (PN):

None

Code List (Values)

| Code | Description |
|---------|-------------|
| 9916001 | Improved |
| 9916003 | Unchanged |
| 9916005 | Worse |

Extended Definitions

NOT APPLICABLE (NOT):

The nature of the procedure has no direct expected clinical response (e.g., patient assessment, 12-lead ECG acquisition).

IMPROVED:

The procedure performed had the intended effective outcome and/or the patient's symptoms decreased or clinical condition improved or resolved (e.g., defibrillation resolved v-fib into a perfusing rhythm, intubation controlled the airway and allowed effective management of breathing).

An effective procedure that caused an improvement in the patient condition may also have resulted in a procedure complication and the complication should be documented (e.g. intubation caused minor airway trauma, but the intubation successfully secured the airway).

UNCHANGED:

The procedure performed did not have the clinical effect intended, but did not directly worsen the patient's symptoms or clinical condition (e.g., attempted defibrillation and the person **remained** in v-fib); OR

Had a sub-therapeutic effect and the symptoms continued (e.g., a bandage applied to a bleeding wound failed to stop the bleeding); OR

The nature of the procedure has no direct expected clinical response (e.g. patient assessment). "Not Applicable" would also be appropriate to choose for these cases.

WORSE:

The results of the procedure performed lead to a worsening of the patient's symptoms or condition (e.g. defibrillation converted v-fib into asystole, application of a splint caused **significant** increase in pain or loss of sensation and pulses).

In the case of worsening condition, documentation of procedure complications may also be appropriate.

Just because a patient got worse, doesn't necessarily mean the clinician performed the procedure incorrectly.

eResponse.05 - Type of Service Requested

Back to Table of Contents

Definition: The type of service or category of service requested of the EMS

Agency responding for this specific EMS event.

Usage: Must complete

Select only one

Does not allow for NOT values

Additional NEMSIS definition information located <u>here</u>.

DMC Comment: These values represent the service **requested**, not necessarily the service provided.

Pertinent Negatives (PN):

None

Code List (Values)

| Code | Description |
|----------------|---|
| 2205001 | Emergency Response (Primary Response Area) |
| 2205003 | Emergency Response (Intercept) |
| 2205009 | Emergency Response (Mutual Aid) |
| <u>2205005</u> | Hospital-to-Hospital Transfer |
| 2205015 | Hospital to Non-Hospital Facility Transfer |
| 2205017 | Non-Hospital Facility to Non-Hospital Facility Transfer |
| <u>2205019</u> | Non-Hospital Facility to Hospital Transfer |
| 2205007 | Other Routine Medical Transport |
| 2205011 | Public Assistance |
| <u>2205013</u> | Standby |
| 2205021 | Support Services |
| <u>2205023</u> | Non-Patient Care Rescue/Extrication |
| 2205025 | Crew Transport Only |
| 2205027 | Transport of Organs or Body Parts |
| 2205029 | Mortuary Services |
| <u>2205031</u> | Mobile Integrated Health Care Encounter |
| 2205033 | Evaluation for Special Referral/Intake Programs |
| 2205035 | Administrative Operations |

NEMSIS Comment: Values for "911 Response (Scene)", "Intercept", and "Mutual Aid" have been relabeled to start with "Emergency Response" to more easily identify these options. "Interfacility Transport" was relabeled to "Hospital-to-Hospital Transfer" to be more accurate.

"Medical Transport" was relabeled to "Other Routine Medical Transport" to cover any other medical transports such as transports to and from dialysis, doctor appointments, return home, or nursing homes. Values added to consolidate types of service previously captured in "Primary Role of Unit" and eDisposition.12 as found in V3.4.0. Additional values added to reflect emerging service types.

Extended Definitions

EMERGENCY RESPONSE (PRIMARY RESPONSE AREA):

Emergent or immediate response to an incident location, regardless of method of notification (e.g., 9-1-1, direct dial, walk-in, flagging down, air ambulance scene flight).

EMERGENCY RESPONSE (INTERCEPT):

When one EMS clinician meets a transporting EMS unit vehicle with the intent of receiving a patient or providing a higher level of care.

EMERGENCY RESPONSE (MUTUAL AID):

Response of emergency medical services, and other emergency personnel and equipment, to a request for assistance in an emergency when local resources have been expended.

HOSPITAL-TO-HOSPITAL TRANSFER:

Any transfer, after initial assessment and stabilization, from and to a healthcare facility, to include specialty hospitals, for the purpose of continuation of acute care, this would also include emergent transfer requests (e.g., hospital to hospital, clinic to hospital).

HOSPITAL TO NON-HOSPITAL FACILITY TRANSFER:

Any transfer from a hospital to a non-hospital facility. An example of this is a transfer from a hospital to a care center.

NON-HOSPITAL TO NON-HOSPITAL FACILITY TRANSFER:

Any transfer from one facility to another facility neither of which qualify as a hospital. An example of this is a transfer from a dialysis center to an out-patient clinic.

NON-HOSPITAL FACILITY TO HOSPITAL TRANSFER:

Any transfer from a non-hospital facility to a hospital. An example of this is a transfer from a dialysis center to a hospital.

OTHER ROUTINE MEDICAL TRANSPORT:

Transports that are not between hospitals or that do not require an immediate response; these are generally for the purpose of transportation to or from an appointment, performance of a procedure, or long-term care (e.g., home/hospice/rehabilitation/long-term care facility).

Back to Table of Contents

hospital to

PUBLIC ASSISTANCE:

The unit responded to provide non-traditional or EMS services not otherwise specified here (e.g., elderly or disabled patient assistance, public education, injury prevention, community paramedicine/mobile integrated healthcare, immunization programs).

STANDBY:

Initial request for service was for purposes of being available in case of a medical/traumatic emergency (e.g., sporting/public events, fires, police action).

SUPPORT SERVICES:

The unit responded to provide support not otherwise specified.

NON-PATIENT CARE RESCUE/EXTRICATION:

The unit responded to provide rescue and/or extrication service, personnel or equipment.

CREW TRANSPORT ONLY:

The unit responded to transport crew only.

TRANSPORT OF ORGANS OR BODY PARTS:

This includes tissues, biological samples, organs, and body parts.

MORTUARY SERVICES:

The unit responded to provide service or assistance in the event of a deceased patient.

MOBILE INTEGRATED HEALTH CARE ENCOUNTER:

The responding unit provided mobile resources in the out-of-hospital environment. It may include, but is not limited to, services such as providing telephone advice to 9-1-1 callers instead of resource dispatch; providing community paramedicine care, chronic disease management, preventive care or post-discharge follow-up visits.

EVALUATION FOR SPECIAL REFERRAL/INTAKE PROGRAMS:

EMS provides an initial medical screening as part of the intake process for various specialty referral services or programs (such as "Safe Baby Haven", mental health or addiction, or similar programs).

ADMINISTRATIVE OPERATIONS:

The unit provided EMS coordination, oversight and/or supervision of services.

eResponse.07 – Unit Transport and Equipment Capability

Definition: The transport and equipment capabilities of the EMS Unit which responded to

this specific EMS event.

Usage: Must complete

Select only one

Does not allow for NOT values

Additional NEMSIS definition information located here.

Pertinent Negatives (PN):

None

Code List (Values)

| Code | Description |
|----------------|--|
| 2207011 | Air Transport-Helicopter |
| 2207013 | Air Transport-Fixed Wing |
| 2207015 | Ground Transport (ALS Equipped) |
| 2207017 | Ground Transport (BLS Equipped) |
| 2207019 | Ground Transport (Critical Care Equipped) |
| 2207021 | Non-Transport-Medical Treatment (ALS Equipped) |
| 2207023 | Non-Transport-Medical Treatment (BLS Equipped) |
| <u>2207025</u> | Wheel Chair Van/Ambulette |
| 2207027 | Non-Transport-No Medical Equipment |
| | |

NEMSIS Comment: Element relabeled from "Primary Role of Unit" to "Unit Transport and Equipment Capability" to better reflect its new defined purpose and allow the deprecation of eResponse.15 "Level of Care of This Unit". V3.4.0 Non-Transport values deprecated as these are types of service and were moved to eResponse.05 "Type of Service Requested". Values have been added to better capture transport capability and available equipment. These values should be tied to the capabilities and role of the unit and not reflect the level of providers responding to an event.

Supervisor clarified to Administrative Only. If the Supervisor is responding to assist, that would be considered Non-Transport.

Extended Definitions

AIR TRANSPORT-HELICOPTER:

This unit's intended role in this incident at the time of response was to provide rotor-wing transportation of a patient, even if no transport resulted.

AIR TRANSPORT-FIXED WING:

This unit's intended role in this incident at the time of response was to provide fixed-wing transportation of a patient even if no transport resulted.

GROUND TRANSPORT (ALS EQUIPPED):

This unit's intended role in this incident at the time of response was to provide ground transportation of the patient even if no transport resulted. The unit is equipped as an ALS service.

GROUND TRANSPORT (BLS EQUIPPED):

This unit's intended role in this incident at the time of response was to provide ground transportation of the patient even if no transport resulted. The unit is equipped as a BLS service.

GROUND TRANSPORT (CRITICAL CARE EQUIPPED):

This unit's intended role in this incident at the time of response was to provide ground transportation of the patient even if no transport resulted. The unit is equipped as a Critical Care service.

NON-TRANSPORT-MEDICAL TREATMENT (ALS EQUIPPED):

This unit's intended role in this incident at the time of response was to provide EMS care and/or transportation support but was not to provide transport (e.g. fire apparatus, first response units, quick response vehicles, chase cars, etc.).

Examples: Assistance moving the patient to the transporting unit. First Response unit providing treatment until transport unit arrives (to include non-transporting ALS units).

NON-TRANSPORT-MEDICAL TREATMENT (BLS EQUIPPED):

This unit's intended role in this incident at the time of response was to provide EMS care and/or transportation support but was not to provide transport (e.g. fire apparatus, first response units, quick response vehicles, chase cars, etc.).

Examples: Assistance moving the patient to the transporting unit. First Response unit providing treatment until transport unit arrives.

WHEEL CHAIR VAN/AMBULETTE:

This unit's intended role in this incident at the time of response was to provide specialty transport as a wheel chair accessible van or ambulette.

NON-TRANSPORT-NO MEDICAL EQUIPMENT:

This unit's intended role in this incident at the time of response was to provide EMS coordination, oversight and/or supervision of services.

eResponse.08 – Type of Dispatch Delay

Definition: The dispatch delays, if any, associated with the dispatch of the EMS unit to the

EMS event.

Usage: Must complete

Select all applicable
Allows for NOT values

NEMSIS Comment: A dispatch delay is any time delay that occurs from the time of PSAP call (eTimes.01) to the time the unit is notified by dispatch (eTimes.03).

Pertinent Negatives (PN):

None

Code List (Values)

| Code | Description |
|---------|---|
| 2208001 | Caller (Uncooperative) |
| 2208003 | Diversion/Failure (of previous unit) |
| 2208005 | High Call Volume |
| 2208007 | Language Barrier |
| 2208009 | Incomplete Address Information Provided |
| 2208011 | No EMS Vehicles (Units) Available |
| 2208013 | None/No Delay |
| 2208015 | Other |
| 2208017 | Technical Failure (Computer, Phone etc.) |
| 2208019 | Communication Specialist-Assignment Error |
| 2208021 | No Receiving MD, Bed, Hospital |
| 2208023 | Specialty Team Delay |

Extended Definitions

CALLER (UNCOOPERATIVE):

PSAP/Secondary Dispatch ability to gather information and/or provide instructions was impeded by caller behavior (e.g., caller was unhelpful).

DIVERSION/FAILURE (OF PREVIOUS UNIT):

Unit initially dispatched was unable to complete the response resulting in a second unit dispatched; or call was re-directed to another unit after initial dispatch.

HIGH CALL VOLUME:

Capacity to receive and process calls in a timely manner was exceeded.

LANGUAGE BARRIER:

Ability of PSAP/Secondary Dispatch and caller to understand one another was limited (e.g., due to lack of a common language, regional dialect differences, caller speech impediments, distraught caller, etc.).

Back to Table of Contents

INCOMPLETE ADDRESS INFORMATION PROVIDED:

PSAP/Secondary Dispatch had difficulty determining an accurate location for the event/incident.

NO EMS VEHICLES (UNITS) AVAILABLE:

At the time requested, the PSAP/Secondary Dispatch was unable to identify an appropriate EMS unit to assign.

NONE/NO DELAY:

At the time requested, the PSAP/Secondary Dispatch was able to assign an EMS unit to the EMS event/incident without delay.

OTHER:

At the time requested, the PSAP/Secondary Dispatch was delayed assigning an EMS unit for a reason not otherwise specified here.

TECHNICAL FAILURE (COMPUTER, PHONE ETC.):

The ability to receive calls and/or dispatch EMS units was impeded by issues with one or more physical communication channels (e.g., phones, radios, a local network, the internet, power/utility outage, etc.).

COMMUNICATION SPECIALIST-ASSIGNMENT ERROR:

The Communication Specialist or Dispatch Operator assigned, classified, or reported the call with an incorrect code or assigned the call to an incorrect unit.

NO RECEIVING MD, BED, HOSPITAL:

Dispatching a unit is impeded due to the lack of a receiving advanced clinician (such as an MD), no available hospital/healthcare facility bed, or there is no available hospital currently receiving EMS patients.

SPECIALTY TEAM DELAY:

Dispatch is delayed due to securing a specialty team appropriate for the EMS request.

eResponse.09 - Type of Response Delay

Definition: The response delays, if any, of the EMS unit associated with the EMS event.

Usage: Must complete

Select all applicable
Allows for NOT values

NEMSIS Comment: Rendezvous Transport Unavailable added for situations where there is a wait for an EMS Transport Unit, a Ferry, Air Medical, etc. to return to service.

A response delay is any time delay that occurs from the time the unit is notified by dispatch (eTimes.03) to the time the unit arrived on scene (eTimes.06)

DMC Comment: Remember to review all and pick all applicable values.

Pertinent Negatives (PN):

None

Code List (Values)

| Code | Description |
|----------------|--|
| 2209001 | Crowd |
| 2209003 | Directions/Unable to Locate |
| 2209005 | Distance |
| <u>2209007</u> | Diversion (Different Incident) |
| 2209009 | HazMat |
| <u>2209011</u> | None/No Delay |
| <u>2209013</u> | Other |
| <u>2209015</u> | Rendezvous Transport Unavailable |
| <u>2209017</u> | Route Obstruction (e.g., Train) |
| <u>2209019</u> | Scene Safety (Not Secure for EMS) |
| <u>2209021</u> | Staff Delay |
| <u>2209023</u> | Traffic |
| <u>2209025</u> | Vehicle Crash Involving this Unit |
| <u>2209027</u> | Vehicle Failure of this Unit |
| <u>2209029</u> | Weather |
| <u>2209031</u> | Mechanical Issue-Unit, Equipment, etc. |
| 2209033 | Flight Planning |

Extended Definitions

CROWD:

The combination of number, density, and location of people encountered en route to an EMS

event/incident was sufficient enough to slow the unit's progress.

Back to Table of Contents

DIRECTIONS/UNABLE TO LOCATE:

Problems with directions and/or the ability to follow directions slowed or prevented the unit's progress to an EMS event/incident (e.g., dispatched to the wrong address, GPS issue).

DISTANCE:

An atypically long distance to an EMS event/incident resulted in a longer than normal response time for the unit.

DIVERSION (DIFFERENT INCIDENT):

While en route to an EMS event/incident, the unit was re-directed to a different EMS event/incident.

HAZMAT:

The actual or presumed presence of one or more dangerous substances slowed or prevented the unit's progress to an EMS event/incident.

NONE/NO DELAY:

The unit's progress to an EMS event/incident was completed without delay.

OTHER:

The unit's progress to an incident took longer than expected due to one or more factors not otherwise specified here.

RENDEZVOUS TRANSPORT UNAVAILABLE:

The unit's progress to an incident was slowed due to the delay or unavailability of an additional mode of transportation needed to achieve the shortest overall response time (e.g., ferry).

ROUTE OBSTRUCTION (E.G., TRAIN):

One or more obstacles encountered en route to an incident slowed the unit's progress (e.g., train, drawbridge, bridge or road washout, wildfire, mud/rock slide, parade, marathon).

SCENE SAFETY (NOT SECURE FOR EMS):

Arrival on scene was delayed due to actual or presumed unsafe conditions at the scene (e.g., observed or suspected criminal activity involving weapons).

STAFF DELAY:

The response was slowed due to crewmember issues (e.g., full crew not present, illness, injury, family emergency).

TRAFFIC:

Vehicular congestion encountered en route to an incident was sufficient enough to slow the unit's progress.

VEHICLE CRASH INVOLVING THIS UNIT:

The unit's involvement in a crash slowed or prevented its progress to an incident.

VEHICLE FAILURE OF THIS UNIT:

Progress to an incident was slowed or prevented by vehicle issues (e.g., failure to start, a flat tire, a broken axle).

WEATHER:

Weather conditions slowed or prevented the unit's progress to an incident (e.g., flood, blizzard).

MECHANICAL ISSUE-UNIT, EQUIPMENT, ETC.:

Issues with one or more devices slowed or prevented the unit's ability to proceed to an EMS event/incident within the expected amount of time (e.g., garage door not rising, switching out O2).

FLIGHT PLANNING

The aircraft's response to an incident was slowed by additional pre-flight preparations (e.g., re-routing due to weather conditions, loading specialized equipment).

eResponse.10 – Type of Scene Delay

Definition: The scene delays, if any, of the EMS unit associated with the EMS event.

Usage: Must complete

Select all applicable
Allows for NOT values

Additional NEMSIS definition information located here.

Pertinent Negatives (PN):

None

Code List (Values)

Code Description2210001 Awaiting Air Unit2210003 Awaiting Ground Unit

| 2210005 | Crowd |
|----------------|--|
| 2210007 | Directions/Unable to Locate |
| <u>2210009</u> | Distance |
| <u>2210011</u> | Extrication |
| <u>2210013</u> | HazMat |
| <u>2210015</u> | Language Barrier |
| <u>2210017</u> | None/No Delay |
| <u>2210019</u> | Other |
| <u>2210021</u> | Patient Access |
| <u>2210023</u> | Safety-Crew/Staging |
| <u>2210025</u> | Safety-Patient |
| <u>2210027</u> | Staff Delay |
| <u>2210029</u> | Traffic |
| <u>2210031</u> | Triage/Multiple Patients |
| <u>2210033</u> | Vehicle Crash Involving this Unit |
| <u>2210035</u> | Vehicle Failure of this Unit |
| 2210037 | Weather |
| <u>2210039</u> | Mechanical Issue-Unit, Equipment, etc. |

Extended Definitions

AWAITING AIR UNIT:

Waiting for aeromedical unit arrival at an EMS event/incident extended time on scene.

AWAITING GROUND UNIT:

Waiting for EMS ground unit arrival, transport or otherwise, at the EMS event/incident extended time on scene.

Back to Table of Contents

CROWD:

The combination of number, density, and location of people encountered at the EMS event/incident was sufficient enough to extend time on scene.

DIRECTIONS/UNABLE TO LOCATE:

Difficulty finding the patient after arrival at an EMS event/incident extended time on scene.

DISTANCE:

Separation between the EMS response vehicle and the patient at the EMS event/incident extended time on scene.

EXTRICATION:

EMS activities to remove the patient from the EMS event/incident extended time on scene (e.g., stair-chair, technical rescue or auto extrication to gain patient access).

HAZMAT:

The management (e.g., identification, decontamination, removal, mitigation) of actual or presumed presence of one or more dangerous substances at or near the EMS event/incident extended time on scene.

LANGUAGE BARRIER:

Limited ability of EMS crewmembers to communicate with the patient and/or bystanders at the EMS event/incident extended time on scene.

NONE/NO DELAY:

Nothing occurred at the EMS event/incident that extended the EMS unit's time on scene.

OTHER:

The EMS unit's time on scene was extended for one or more reasons not otherwise specified (e.g., extended patient care, securing pets/residence, waiting for guardian to arrive).

PATIENT ACCESS:

Barriers to physical contact with the patient at the EMS event/incident extended time on scene (e.g., locked door, entrapment, patient resists access to care, animals).

Often used in combination with "Extrication" and/or "Safety-Patient."

SAFETY-CREW/STAGING:

Actual or presumed dangerous conditions at the EMS event/incident, or actions taken to protect EMS crewmembers (e.g.., staging area and scene management) extended time on scene.

Select "Patient Access," "Crowd," "Weather," and/or "HazMat" if the danger is a direct result of any of those factors.

SAFETY-PATIENT:

Actual or presumed dangerous conditions at the EMS event/incident, or actions taken to protect the patient from harm, extended time on scene.

STAFF DELAY:

Crewmember issues (e.g., injury, illness, waiting for additional staff) at the EMS event/incident extended time on scene.

TRAFFIC:

Vehicular congestion or other roadway conditions (e.g., navigating a parking area, entrance/egress from a parade/concert, incident is on a busy roadway, other responding resource is obstructed from arrival) encountered at the EMS event/incident extended time on scene.

Back to Table of Contents

TRIAGE/MULTIPLE PATIENTS:

Activities associated with managing an EMS event/incident involving more than one patient (e.g., sorting, prioritizing, processing) extended time on scene.

VEHICLE CRASH INVOLVING THIS UNIT:

The unit's involvement in a crash (e.g., unit is struck by another vehicle while on scene, crash of associated rescue vehicle (ATV) while accessing patient, unit backs into something while navigating scene) extended time on scene.

VEHICLE FAILURE OF THIS UNIT:

EMS unit mechanical issue (e.g., failure to start, a flat tire, a broken axle) at the EMS event/incident extended time on scene.

WEATHER:

Weather conditions, current or result of past event (e.g., standing water, ice, blizzard), extended time on scene.

MECHANICAL ISSUE-UNIT, EQUIPMENT, ETC.:

Functional issues with one or more devices needed by the EMS crew (e.g., stretcher or monitor failure, locked out of ambulance) extended time on scene.

eResponse.24 – Additional Response Mode Descriptors

Definition: The documentation of response mode techniques used for this EMS response.

Usage: Must complete

Select all that apply Allows for NOT values

Pertinent Negatives (PN):

None

Code List (Values)

| Code | Description |
|----------------|--|
| 2224001 | Intersection Navigation-Against Normal Light Patterns |
| 2224003 | Intersection Navigation-With Automated Light Changing Technology |
| 2224005 | Intersection Navigation-With Normal Light Patterns |
| 2224007 | Scheduled |
| 2224009 | Speed-Enhanced per Local Policy |
| <u>2224011</u> | Speed-Normal Traffic |

| <u>2224013</u> | Unscheduled |
|----------------|--|
| <u>2224015</u> | Lights and Sirens |
| <u>2224017</u> | Lights and No Sirens |
| <u>2224019</u> | No Lights or Sirens |
| <u>2224021</u> | Initial No Lights or Sirens, Upgraded to Lights and Sirens |
| 2224023 | Initial Lights and Sirens, Downgraded to No Lights or Sirens |

Extended Definitions

INTERSECTION NAVIGATION-AGAINST NORMAL LIGHT PATTERNS:

Traveled through intersections controlled by traffic lights or stop signs against the right-of-way according to standard, non-emergency traffic laws with, or without, the use of emergency lights and sirens (e.g., approached a red traffic light and proceeded through the intersection, while the light was still red, when there was cross-road traffic traveling through the intersection on their own green light).

INTERSECTION NAVIGATION-WITH AUTOMATED LIGHT CHANGING TECHNOLOGY:

Intersection navigated with the use of technology for traffic signal preemption (also called traffic signal prioritization) to manipulate traffic signals in the path of an emergency vehicle, halted conflicting traffic and allowed the emergency vehicle right-of-way, to help reduce response times and enhance traffic safety.

These types of systems allow the normal operation of traffic lights to be preempted or controlled using radio or strobe light based signaling systems and may be used in conjunction with emergency lights and sirens.

INTERSECTION NAVIGATION-WITH NORMAL LIGHT PATTERNS:

Traveled through intersection-controlled traffic lights or stop signs according to standard, non-emergency state and federal traffic laws (e.g., approached a red traffic light and waited for the light to change to green before proceeding through the intersection).

SCHEDULED:

For use with *eResponse.05 – Type of Service Requested* Values of "Interfacility Transport," "Medical Transport," and "Public Assistance/Other Not Listed or Standby," where the service or resources requested have been prescheduled prior to the "Unit En Route Date/Time" in order to meet a planned "Unit Arrived on Scene Date/Time."

SPEED-ENHANCED PER LOCAL POLICY:

When an emergency service vehicle exceeded posted speed limits within the limits of state or local laws or agency policy when responding to an emergency (e.g., some laws allow emergency services vehicles to exceed posted speed limits by 10 mph when responding to an emergency event, provided the vehicle driver exercises due caution/regard).

SPEED-NORMAL TRAFFIC:

Adhered to posted speed limits when responding to a request for service, regardless of dispatch priority and use of lights and sirens, in order to arrive in a safe and timely manner.

Back to Table of Contents

UNSCHEDULED:

For use with eResponse.05 – Type of Service Requested Values of "Interfacility Transport," "Medical Transport," or "Public Assistance/Other Not Listed," where the service or resources requested have not been prescheduled prior to the request for service.

For Interfacility Transports, this may be an emergency transport, which can be further defined using *eResponse*.23 – *Response Mode to Scene*.

This Value is not intended to be used with eResponse.05 – Type of Service Requested values of "911Response (Scene)," "Intercept," "Mutual Aid," or "Standby."

LIGHTS AND SIRENS:

Used flashing, blinking, or rotating lights (which may be a combination of red, blue, white and amber colors) and audible sirens mounted on a responding emergency services vehicle, in order to manage and alert traffic that they need to yield the right-of- way to the emergency vehicle.

LIGHTS AND NO SIRENS:

Used only flashing, blinking, or rotating lights (which may be a combination of red, blue, white and amber colors) mounted on a responding emergency services vehicle, in order to manage and alert traffic that they need to yield the right-of-way to the emergency vehicle.

This traffic alert mode uses lights only without any use of audible sirens.

NO LIGHTS OR SIRENS:

Responded in an emergency services vehicle without the use of any emergency traffic alert lights or sirens.

INITIAL NO LIGHTS OR SIRENS, UPGRADED TO LIGHTS AND SIRENS:

A response where the responding vehicle initiated the response without the use of lights or sirens, but either received new information from the incident increasing the response priority, or where traffic conditions changed requiring the use of lights and sirens for a safe and timely response.

INITIAL LIGHTS AND SIRENS, DOWNGRADED TO NO LIGHTS OR SIRENS:

A response where the responding vehicle initiated the response with the use of lights or sirens, but either received new information from the incident decreasing the response priority, or where traffic conditions improved and the use of lights and sirens was no longer required for

a safe and timely response.

eScene.01 - First EMS Unit on Scene

Definition: Documentation that this EMS Unit was the first EMS Unit for the EMS Agency on

the Scene.

Usage: Must complete

Select only one

Allows for NOT values

Pertinent Negatives (PN):

None

Code List (Values)

Code Description

9923001 No 9923003 Yes

NEMSIS Comment: Added to improve the evaluation of Response Times when multiple EMS units are responding to the same scene.

eScene.06 - Number of Patients at Scene

Definition: Indicator of how many total patients were at the scene.

Usage: Must complete

Select only one

Allows for NOT values

Pertinent Negatives (PN):

None

Code List (Values)

 Code
 Description

 2707001
 Multiple

 2707003
 None

 2707005
 Single

NEMSIS Comment: This element defines how many patients were at the scene – not how many patients this EMS unit evaluated.

Extended Definitions

MULTIPLE:

Back to Table of Contents

There was more than one person at the scene of an emergency who was evaluated and/or treated and transported by responding EMS resources.

NONE:

This ambulance and crew were unable to locate anyone at the scene (locally defined as a patient) who needed to be evaluated and/or treated and transported.

SINGLE:

There was one person (locally defined as a patient) at the scene of an emergency who was evaluated and/or treated and transported by responding EMS resources.

The value of "Single" does not reflect how many patients this unit evaluated, treated and/or transported, only that there was only one patient identified at the scene, regardless of the number of EMS units on scene and their dispositions.

eScene.07 - Mass Casualty Incident

Definition: Indicator if this event would be considered a mass casualty incident

(overwhelmed existing EMS resources).

Usage: Must complete

Select only one

Allows for NOT values

Pertinent Negatives (PN):

None

Code List (Values)

Code Description

9923001 No 9923003 Yes

Extended Definitions

YES:

A local Mass Casualty Incident (MCI) plan was activated or where EMS resources, such as personnel and equipment, were overwhelmed by the number and severity of victims at an emergency scene.

eScene.08 - Triage Classification for MCI Patient

Definition: The color associated with the initial triage assessment/classification of the MCI

patient.

Usage: Must complete

Select only one

Allows for NOT values

Pertinent Negatives (PN):

None

Code List (Values)

| Code | Description |
|----------------|-------------------------|
| 2708001 | Red – Immediate |
| <u>2708003</u> | Yellow – Delayed |
| 2708005 | Green – Minimal (Minor) |
| 2708007 | Gray – Expectant |
| 2708009 | Black – Deceased |

Extended Definitions

RED - IMMEDIATE:

Patient is critical, but has a chance of survival, and cannot survive without immediate treatment (e.g., head injuries, severe burns, severe bleeding, heart-attack, breathing-impaired, internal injuries).

YELLOW - DELAYED:

Patient condition is stable but serious and they are not in immediate danger of death (e.g., fractures). These patients should be able to follow a simple command (e.g., "Squeeze my hand").

GREEN - MINIMAL (MINOR):

Patient is considered "walking wounded" (e.g., patient is ambulatory), and may need medical care at some point, after more critical injuries have been treated. Generally, these patients will have been escorted to a staging area out of the "hot zone" to await delayed evaluation and transportation.

GRAY - EXPECTANT:

Patient's injuries are so extensive that they may not be able to survive given the care currently available.

It is important to note that victims of mass casualty incidents (MCI) who are still presenting some vital signs but may have life-threatening or potentially fatal injuries, may be classified as "unsalvageable" by the Triage officer. Although this

Back to Table of Contents

is a very difficult decision, it is necessary when many casualties require more resources than may be available.

In some systems, this may be the same as black.

BLACK – DECEASED:

Individual who has no clinical signs of life and/or obviously fatal injuries.

In some systems, this may be the same as gray.

eSitutation.11 - Provider's Primary Impression

Definition: The EMS personnel's impression of the patient's primary problem or most

significant condition which led to the management given to the patient

(treatments, medications, or procedures).

Usage: Must complete

Select only one

Allows for NOT values

NASEMSO DMC Statement:

The National Association of State EMS Officials Data Managers Council affirms the NEMSIS Primary Impression definition.

The primary impression is based on the clinical judgment of the provider and could be considered a field impression, or working/differential diagnosis. The value chosen should reflect the EMS professional's determination of the patient's **primary condition needing treatment based on assessment**. This treatment approach uses the providers training, experience and patient assessment knowledge/skills.

Primary refers to the highest acuity condition of the patient, not necessarily the first condition **noticed**. The majority of the treatment will be focused on addressing this issue.

This is the field provider's diagnosis, and may not necessarily reflect the hospital diagnosis. Additionally, this record is part of the patient's medical record, and must not get mistaken for a physician's diagnosis; these values should NOT be linked to the hospital's diagnosis fields or their longitudinal diagnosis record.

eSitutation.12 - Provider's Secondary Impression

Definition: The EMS personnel's impression of the patient's secondary problem or most

significant condition which led to the management given to the patient

(treatments, medications, or procedures).

Usage: Must complete

Select all applicable
Allows for NOT values

NASEMSO Data Managers Council Statement:

The National Association of State EMS Officials Data Managers Council affirms the NEMSIS Secondary Impression definition.

The secondary impression is based on the clinical judgment of the provider and could be considered a field impression, or working/differential diagnosis. The value chosen should reflect the EMS professional's determination of the patient's secondary condition needing treatment based on assessment. This treatment approach uses the providers training, experience and patient assessment knowledge/skills.

This is the field provider's diagnosis, and may not necessarily reflect the hospital diagnosis. Additionally, this record is part of the patient's medical record, and must not get mistaken for a physician's diagnosis; these values should NOT be linked to the hospital's diagnosis fields or their longitudinal diagnosis record.

eVitals.29 – Stroke Scale Score

Definition: The findings or results of the Stroke Scale Type (eVitals.30) used to assess the

patient exhibiting stroke-like symptoms.

Usage: Must complete

Select only one

Allows for NOT values

Pertinent Negatives (PN):

Code Description 8801019 Refused

8801023 Unable to Complete

Code List (Values)

Code Description
3329001 Negative

3329003 Non-Conclusive

3329005 Positive

Extended Definitions

REFUSED (PN):

Used when a patient, who has a normal mental status, refuses to participate in the exam.

UNABLE TO COMPLETE (PN):

Used when conditions prevent the ability to perform or complete a stroke exam for some reason (e.g., unconscious patient, patient with an altered mental status or organic mental impairment such as dementia, patient with significant pre-existing stroke symptoms, patient with other injury or illness that would prevent a reliable exam, other barrier to patient care preventing the ability to perform the exam).

Any barrier to patient care should also be documented in *eHistory.01 – Barriers to Patient Care*.

NEGATIVE:

A negative stroke scale score does not mean a patient does not have a stroke, but simply that the stroke exam itself did not return any positive findings to indicate a stroke.

This is a normal test finding. This score means each of the stroke assessment criteria for the stroke scale exam used by the clinician was negative or "normal/baseline" for the patient (e.g., using the Cincinnati Stroke Scale, the patient is "Negative" if they had NO facial droop, NO arm drift and NO slurred speech).

NON-CONCLUSIVE:

If a patient has a clear positive finding in any stroke exam criteria, it is conclusively a positive exam and this value should not be chosen.

This score indicates there may be very subtle finding in the stroke scale exam that can't be concluded to be positive or negative. This may be due a pre-existing condition that is normal for the patient, but which makes it difficult to determine if you are seeing new findings or baseline (e.g., a patient with a history of a previous stroke or arm or shoulder injury; an elderly patient with loose facial skin who has one side of the mouth slightly lower than the other whose face may just be that way).

Generally, these patients will have a complaint or symptom that could be associated with a stroke, such as syncope, weakness or altered sensation, but which does not combine with the subtle stroke scale findings to strongly indicate a stroke either way.

POSITIVE:

This is an abnormal test finding. A positive score means a positive or "abnormal from baseline" finding in any ONE of the stroke assessment criteria for the stroke scale exam used by the clinician and indicates that the patient may be experiencing a stroke (e.g., using the Cincinnati

Stroke Scale, the patient is "Positive" if they have a positive or "abnormal from baseline" finding for Facial Droop, and/or Arm Drift and/or Slurred Speech).

A Positive /Abnormal stroke scale score indicates a 72-85% probability of the patient having a stroke.

ACRONYMS

Back to Table of Contents

ALS Advanced Life Support
AMA Against Medical Advice

BLS Basic Life Support

DMC Data Managers Council of NASEMSO

DNR Do Not Resuscitate

DOT Department of Transportation ePCR Electronic Patient Care Report

FD Fire Department GCS Glascow Coma Score HAZMAT Hazardous Materials

NASEMSO National Association of EMS Officials NEMSIS National EMS Information System

NHTSA National Highway Traffic Safety Administration

OEMS Office of Emergency Medical Services

PCR Patient Care Report

PSAP Public Safety Answering Point (Also referred to as Dispatch)